

MATERIAL SAFETY DATA SHEET

SECTION 1: IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product name: METHYL ETHYL KETONE (MEK)

Other names: MEK, Ethyl Methyl Ketone, 2 Butanone,

Turpentine substitute

Recommended Use: Cleaner and degreaser; raw materials for

manufacture of adhesives, surface coatings and

other products.

Supplier: Tradextra Ltd

Address: 3 Glenmore Drive, Warkworth 0910

PO Box 437, Warkworth 0941

Telephone: (+64) 9 425 0235 (+64) 9 425 0236 **Website:** www.tradextra.co.nz

Emergency phone: National Poison Centre

0800 764 766

SECTION 2: HAZARD(S) IDENTIFICATION

Product is classified as hazardous according to Schedules 1 to 6 of the *Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001* of the HSNO Act, 1996.

HSNO Classifications 3.1B, 6.1E, 6.3B Signal Word WARNING

Hazard Statements:

H226 Flammable liquid and vapour
H303 May be harmful if swallowed
H316 Causes mild skin irritation
H316 Causes mild skin irritation
H373 May cause damage to organs through prolonged or repeated exposure

Precautions Statements:

P102 Keep out of reach of children P103 Read label before use P210 Keep away from heat, sparks, open flames and hot surfaces. No

smoking.

P240 Ground container and receiving P242 Use non-sparking tools

equipment

P264 Wash hands thoroughly after P241 Use explosion-proof equipment

handling

P280 Wear protective clothing, gloves P243 Take precautionary measures

and eye protection against static discharge

Response Statements:

P312 Call a POISON CENTRE or doctor P305 + P351 + P338 IF IN EYES: Rinse

if you feel unwell cautiously with water for several minutes. Remove contact lenses,



if present and easy to do. Continue rinsing

P337 + P313 If eye irritation persists: Get medical advice.

P370 + P378 in case of fire: Stop leak if safe to do so.

P314 Get medical advice if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical advice P303 + P361 + P353 IF ON SKIN (or

hair): Remove immediately all contaminated clothing. Rinse skin with water

Storage Statements:

P403 + P235 Store in a well-ventilated P405 Store locked up. place. Keep cool.

Disposal Statements:

P501 Dispose of product and containers in accordance with local regulations.

SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Ingredient	CAS no.	Proportion (%)
Methyl ethyl ketone	78-93-3	100

SECTION 4: FIRST-AID MEASURES

For advice, contact National Poison Centre (0800 POISON; 0800 764 766) or a doctor.

Swallowed

If swallowed, do NOT induce vomiting. Rinse mouth. Where there is risk of vomiting, lean person forward or place on left side to avoid aspiration of product into lungs. Obtain immediate medical attention.

Skin Contact

if skin or hair contact occurs, remove contaminated clothing and wash affected area with soap and water. If irritation persists, get medical attention.

Eye Contact

Hold eyelids apart and flush the eye continuously with running water. Continue flushing for at least 15 minutes. Remove contact lenses if present and easy to do, after the first 5 minutes and continue rinsing. Get medical attention if irritation persists.

Inhalation

Move the victim to fresh air immediately. Keep warm and at rest until recovered. Get medical attention if symptoms continue.

Begin artificial respiration if breathing has stopped. Get immediate medical attention.

First Aid Facilities

Provide eye baths and safety showers close to areas where splashing may occur.

Medical Attention

Treat according to symptoms. Gastric lavage may be indicated if ingested. Any product aspirated during vomiting may product lung injury.

SECTION 5: FIRE-FIGHTING MEASURES

Flashpoint: -4°C

Flammable Limits: LFL: 1.85 UFL:11.5%

Extinguishing media: Alcohol foam, water spray or fog. Dry chemical powder, CO² sand or earth can be used for small fires only.

Fire & Explosion Hazards: Liquid and vapours are highly flammable. Vapour is heavier than air; spreads along ground and distant ignition is possible. Do not breathe smoke, gases or vapours generated in a fire. Expansion or decomposition of containers may lead to violent rupture of containers.

Firefighting Equipment: Full protective clothing and self-contained breathing apparatus (SCBA).

In event of fire:

- Alert Fire Station (111); advise location and nature of hazard.
- Wear breathing apparatus and protective gloves
- Shut off product that may 'fuel' a fire if safe to do so.
- If safe, switch off electrical equipment until vapour hazard removed.
- Allow trained personnel to attend a fire in progress, providing firefighters with this Safety Data Sheet.
- Prevent product and extinguishing media from escaping to drains and waterways.

Hazards from combustion products: Carbon Dioxide, Carbon Monoxide.

Hazchem code: 2YE

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures & containment: refer to 'Fire Fighting Measures,' 'First Aid Measures' and 'Stability and Reactivity.'

Minor spills

- Remove or eliminate all ignition sources.
- Clean up spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Wear personal protective equipment.
- Contain and absorb small quantifies with vermiculite or other absorbent material.
- Collect residues and waste material in a labelled container suitable for flammables.
- Seal container and dispose of safely.

Major spills

- Clear area of personnel and move upwind.
- Alert Fire Station (111); advise location and nature of hazard.
- Wear breathing apparatus and protective gloves.
- Stop leak of safe to do so.
- Contain spill with sand, earth or vermiculite.
- Prevent by any means available, spillage from entering drains, sewers, watercourses, or low-lying areas.
- Eliminate sources of ignition, naked lights. No smoking.
- Increase ventilation.
- Water spray or fog may be used to disperse/absorb vapour.
- Use only spark-proof tools, e.g. shovels, and explosion proof equipment, e.g. pumps.
- Collect recoverable product into labelled containers for recycling.
- Absorb remaining product with sand, earth or vermiculite.
- Collect solid residues and seal in labelled drums for disposal.
- Wash area and prevent run off into drains.
- If contamination of drains or waterways occurs, advise Emergency Services and Local or Regional authority.



SECTION 7: HANDLING AND STORAGE

Precautions for safe handlings: Read product label before use. This product is highly flammable. Do not open near open flame, sources of heat or ignition. No smoking. Keep container closed. Handle containers with care. Open slowly to control possible pressure release. Material will accumulate static discharge. Use grounding leads to avoid discharge (electrical spark) spark-free tools and equipment suitable for flammables.

Use outdoors or in a well-ventilated area. Wear personal protective equipment. Wash hands with soap and water after handling. Wash protective clothing separate to household laundry.

Conditions for safe storage: Keep out of reach of children. Store in a cool, dry place away from direct sunlight. This product will fuel a fire in progress. Check containers periodically for leaks or distortion.

Incompatible materials: Plastics, aluminium, neoprene or nitrile rubbers.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Health Exposure Standards: A Workplace Exposure Standards has been set by the OSH for a component in this product.

Methyl ethyl ketone 150 ppm (445 mg/m³) 300 ppm (800 mg/m³)

Biological limit values: None established.

Engineering controls: Ventilation – use product outdoors or in a well-ventilated area. The use of local exhaust ventilation is recommended to control emissions near the source. Provide mechanical ventilation in confined spaces. Use explosion-proof ventilation equipment.

Personal Protective Equipment:

Respiratory Protection – where use indoors or confined spaces, or concentrations in the air may exceed the limits described in the Workplace Exposure Standards, use respiratory protection. Use a suitable filter for organic gases and vapours. Under high risk situation, use an appropriate positive pressure breathing apparatus.

Eye Protection – protect eyes from splashes or vapour. It is recommended safety glasses with side shields or goggles be worn.

Skin / Body Protection – wear chemical resistant gloves, e.g. neoprene or



nitrile rubber. Also wear safety footwear or safety gumboots, e.g. rubber. Always wear long sleeves and long trousers or coveralls.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	Unit of Measurement	Typical value
Appearance	-	Clear colourless liquid
Odour	-	Characteristic
Flash Point	°C	-4 °C
Specific gravity @ 20°C	g/ml	0.804 - 0.806
Vapour pressure @ 20 °C	kPa	9.5
Vapour density @ 20 °C	kPa	2.4
Explosive limits in the air	%	1.8-11.5
Volatiles Organic Carbon	%vol/vol	66.6
Alkalinity/acidity (as pH)	<u>-</u>	Not applicable
Solubility in Water	% w/w	Miscible

The values listed are indicative of this product's physical and chemical properties.

SECTION 10: STABILITY AND REACTIVITY

Chemical stability: Stable at room temperature and pressure.

Conditions to avoid: Sources of heat and ignition, open flames.

Hazardous decomposition products: No decomposition products except on burning. See 'Fire Fighting Measures' and 'Hazardous Reactions.'

Hazardous reactions: Oxidizing agents.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects:

Ingestion – Harmful if swallowed. Ingestion of large amounts will have effect on central nervous system with possible symptoms of headache, dizziness, hallucinations, euphoria, loss of appetite, tingling sensation in extremities, vomiting and possible loss of consciousness.

Eye contact – this product in liquid or vapour form is irritating to eyes. Can cause corneal burns.

Skin contact – This product is mildly irritating to skin with short term contact. Prolonged or repeated exposure will increase risk of dryness and cracking of skin.

Inhalation – vapour concentrations are irritating to nose and throat. Exposure to high concentrations have adverse effects on central nervous

system with possible symptoms of headache, dizziness, vomiting and loss of appetite.

Chronic Effects: affects peripheral nervous system (arms and legs.)

Other Health Effects Information: People with pre-existing liver or kidney dysfunction should limit exposure to this product.

Toxicological Information:

Methyl ethyl ketone Rat, oral LD₅ 2737 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:

Aquatic toxicity – product is identified as being ecotoxic to aquatic life with long-lasting effects.

Persistence/degradability – expected to biodegrade rapidly. Considered to have negligible bio accumulative effects.

Mobility – this product is highly volatile and will rapidly evaporate to air if released into water. Large volumes in soil could penetrate groundwater.

Environmental Exposure Standards:

EEL (water)

EEL (soil)

EEL (sediments)

Not set

Not set

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods: Care should be taken to ensure compliance with national, regional and local authority regulations. Packaging may still contain fumes and vapours that are flammable. Ensure that empty packaging is allowed to dry. Product can be offered for recycling, recovery or disposal through a suitably qualified or licensed contractor. Suitable for disposal by incineration.

SECTION 14: TRANSPORT INFORMATION

UN number: 1193

Shipping name: METHYL ETHYL KETONE

Class: 3
Packing Group: II
Hazchem code: 2YE

Dangerous Goods Segregation – This product is classified as Dangerous Goods Class 3, packing group II. Please consult NZS 5433:2007 Transport of Dangerous Goods on Land for information.

SECTION 15: REGULATORY INFORMATION

Country / Region: New Zealand

Inventory: NZCIL Status: Listed

ERMA New Zealand Approval Code: HSR001190; METHYL ETHYL

KETONE.

SECTION 16: ANY OTHER RELEVANT INFORMATION

Date of issue: 10th June 2022 **Reasons for issue:** 5 Year Review

Abbreviations:

CAS No Chemical Abstracts Number

ERMA Environmental Risk Management Authority
HSNO Hazardous Substances and New Organisms

NZCI New Zealand Chemical Inventory
STEL Short Term Exposure Limit
TWA Time Weighted Average

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but it is no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product.

For further information, please contact Tradextra Ltd.

END OF SAFETY DATA SHEET